

# DSIF-I Series

Indoor Floor Standing IR Touch, In Stock Model



**Shenzhen Senlar Vision Technology CO., Ltd.**

[www.senlar.com](http://www.senlar.com)


## **Features:**

- Ready stock, fast delivery within 3-5days
- IR Touch, 20 points
- Support USB/WIFI/Ethernet/4G(Optional) connection
- Support continuous use 24/7, Long-life for using  $\geq 30000$  hours


## **Usage Precautions:**

- Do not use accessories not recommended by the manufacturer. Improper use of unauthorized attachments may cause accidental malfunctions.
- Do not press or coil any objects against the power cord. A damaged power cord may result in electric shock or fire hazards.
- Do not attempt to repair the unit yourself. This device contains high-voltage components and fragile parts that may pose risks to personal safety or equipment integrity. All repairs must be performed by qualified technicians.
- Do not touch any controls not mentioned in the user manual. Improper adjustments to undocumented controls may damage the equipment and increase repair complexity for professional technicians.
- When replacing parts, ensure technicians use manufacturer-specified components or equivalents with identical performance. Using inappropriate parts may lead to fire, electric shock, or equipment damage.
- When wall-mounting or ceiling-installing the unit, strictly follow the manufacturer's recommended installation methods.
- Always disconnect power before cleaning. Use only a slightly damp cloth. Avoid liquid cleaners or aerosol sprays.
- Unplug the AC power cord when not using the device for extended periods.
- The LCD panel contains sensitive materials. Avoid physical impact on the display. If the unit falls or sustains impact causing panel cracks, immediately discontinue use.
- Maintain at least 2-second intervals between power cycling operations.


## 43inch




## 50inch



## 55inch



## 65inch



## Specifications

Panel Size (inch)	43	49	55	65
Dsisplay Area (mm)	529.4*941.2	616.5*1096	680*1209	805*1427
Resolution	1920*1080	3840*2160	3840*2160	3840*2160
Power Consumption	≤120W	≤130W	≤150W	≤280W
Dimension (mm)	1780*574.46*450	1830*661.66*450	1880*729.86*450	1999.5*885*550
Brightness (nits)	300-500			
Viewing Angle	178°(H) / 178°(V)			
Operating System	Andorid 11		Windows 10 (Trail Version)	
Processor	RK3566, 1.8GHz		I3, 3110M	
Storage	2+16G		4+128G	
Touch	IR Touch, 20 Points			
Colors	Black			
Screen Position	Landscape, Portrait			
Working/Stora ge	-20C° ~ 60C°/' -10C° ~ 55C°			
Working/Stora ge Humidity	10% ~ 90%			
Input Voltage(V)	AC100V ~ 240V			
Certification	CE, FCC, RoHS, ISO9001			
Package	PE film + Foam corner protector + Carton +Wooden Frame/Box			