

LPIC Series

Portable Poster, Indoor LCD



Shenzhen Senlar Vision Technology CO., Ltd.


www.senlar.com

Features:


- High-Brightness LED Backlight: 700nits brightness LCD screen
- Built-in battery, support 10 hours working time
- Built-in media player, support plug and play via phone

SENLAR

43inch



49inc



Specifications

Panel	Panel Size	43" LCD Panel	49" LCD Panel
	Display Area(mm)	943*531	1074*604
	Resolution	1920*1080	
	Brightness(nits)	700	
	Contrast	3500:1	
	Viewing Angle	178°(H) / 178°(V)	
Motherboard	CPU	Cortex-A7, 1.2G	
	Storage	DDR3 2G+32G(TF)	
	Operating System	Android 7.1.1	
	Network Connection	WIFI/Ethernet/4G/3G	
	Update Method	USB/SD card/Remote	
Battery	Working Time(hr)	10	
	Charging Time(hr)	7	
	Battery Capacity(mAh)	30000	
	Input Voltage(V)	24	
Others	Working/Storage Temperature	0C° ~ 50C°/' -35C° ~ 50C°	
	Working/Storage Humidity	10% ~ 90%	
	Input Voltage(V)	AC100V ~ 240V	
	Power Consumption	3W-60W	
	Weight	38kg	48kg
	Product Size	1173*75*583mm	1231*75*657mm
	Certification	CE, FCC, RoHS, ISO9001	
	Package	PE film + Foam corner protector + Carton +Wooden Frame/Box	