

MLCD Series

Unlimited Seamless MLCD, LCD+COB





Shenzhen Senlar Vision Technology CO., Ltd.

www.senlar.com




Features:


- Ultra-large LCD display solutions designed to break through traditional screen limitations, enabling versatile configurations.
- Basic Arrangements: Supports 1×N (single-row multi-screen) and N×N (multi-row multi-screen) tiling modes.
- Superior Image Quality: High resolution, accurate color reproduction, and sharp clarity for vivid visuals.
- Low Power Consumption: Optimized backlight systems and driving circuits ensure energy-saving performance, aligning with eco-friendly standards.



156inch (1*2)



150inch (1*3)





Specifications

Display	Model	MLCD 1*2 (Horizontal)	MLCD 1*3 (Vertical)
	Panel Size(inch)	156 (32:9)	150 (16:9)
	Display Area(mm)	7680*RGB*2160+ LED 40*1080	6480*RGB*3840 +LED 80*3240
	Product Size(mm)	3896.22*1139*76.68	3291.68*1968*76.68
	Power Counsumption	0.8	1.2
	Tyical Lifespan (Hrs)	>30000	>30000
	Brightness(nits)	350 (adjustable)	500
	Color	NTSC80%	NTSC80%
	Viewing Angle	160°/160°	160°/160°
	Refresh Frequency	60Hz	60Hz
Interactivity	Touch technology	IR Touch	Customize as required
System	Operating System	Android/Windows (external)	Android/Windows (external)
Other	Installation Method	Wall Mounted	Wall-Mounted/Movable Floor Standing
	Maitainance	Rear(LED front)	Rear(LED front)
	Application duration	7*16	7*24